

VERIFICATION STATEMENT

This is to verify:

That the Flux Cored Wire/Gas combination

with trade name
FabCO® 308L-T1 / C1

Distributed by
Hobart Brothers Company Tubular Wire Business
Troy OH, United States

is found to comply with
DNV GL rules for classification – Ships

with this approval

Grade	VL 308 L
Current	DC(+)
Approved diameter	1.2 mm - 1.6 mm
Positions	Flat, Vertical upwards and Overhead
Remarks	Also for fillet welding

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

This Statement is valid until **2021-03-17**.

Issued at **Høvik** on **2016-03-18**

DNV GL local station: **New York**

Approval Engineer: **Maxim Bobrov**

for **DNV GL**



Digitally Signed By: Gran, Terje
Location: DNV GL Høvik, Norway
Signing Date: 18.03.2016, on behalf of

Hanne Anita Hjerpetjønn
Head of Section

This Verification Statement is valid provided the manufacturers approval is maintained.

TYPE APPROVAL CERTIFICATE**This is to certify:****That the Flux Cored Wire/Gas combination**with trade name
FabCO 308LT1 / M21Manufacturer
Tien Tai Electrode(Kunshan) Co.Ltd.
KUNSHAN JIANGSU, Chinais found to comply with
DNV GL rules for classification – Ships

with this approval

Grade	VL 308 L
Current	DC +
Approved diameter	1,2mm
Positions	All except vertical down
Remarks	---

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.This Certificate is valid until **2021-07-20**.Issued at **Hamburg** on **2016-07-21**DNV GL local station: **Shanghai**Approval Engineer: **Hans-Joachim Vogt**for **DNV GL**Digitally Signed By: Roehr, Stefan
Location: DNV GL Hamburg, Germany
Signing Date: 2016-07-21 , on behalf of**Thorsten Lohmann**
Head of Section

Any significant change in design or construction may render this Certificate invalid.